## Postoperative Rehabilitative Protocol for Loose Body Removal

#### I. Initial Phase (Week 1)

Goal: Full wrist and elbow ROM, decrease swelling, decrease pain, or muscle atrophy

A. Day of Surgery

Begin gently moving elbow in bulky dressing

- B. Post-op Day 1 and 2
  - 1. Remove bulky dressing and replace with elastic bandages
  - 2. Immediate post-op hand, wrist, and elbow exercises
    - a. Putty/grip strengthening
    - b. Wrist flexor stretching
    - c. Wrist extensor stretching
    - d. Wrist curls
    - e. Reverse wrist curls
    - f. Neutral wrist curls
    - g. Pronation/supination
- C. Post-op Day 3 through 7
  - 1. PROM elbow ext/flex (motion to tolerance)
  - 2. Begin PRE exercises with 1 lb weight
    - a. Wrist curls
    - b. Reverse wrist curls
    - c. Neutral wrist curls
    - d. Pronation/supination
    - e. Broomstick roll-up

#### II. Intermediate Phase (Week 2-4)

Goal: Improve muscular strength and endurance; normalize joint arthrokinematics A. Week 2 Range of Motion exercises (overpressure into extension)

- 1. Addition of biceps curl and triceps extension
- 2. Continue to progress PRE weight and repetitions as tolerable
- B. Week 3
  - 1. Initiate biceps and biceps eccentric exercise program
  - 2. Initiate rotator cuff exercises program
    - a. External rotators
    - b. Internal rotators
    - c. Deltoid
    - d. Supraspinatus
    - e. Scapulothoracic strengthening

# III. Advanced Phase (Week 4-8)

Goals: Preparation of athlete for return to functional activities

\*Criteria to progress to Advanced Phase:

- 1. Full nonpainful ROM
- 2. No pain or tenderness
- 3. Isokinetic test that fulfills criteria to throw
- 4. Satisfactory clinical exam

### A. Weeks 4 through 6

- 1. Continue maintenance program, emphasizing muscular strength, endurance, & flexibility
- 2. Initiate Interval Throwing Program Phase